

The Professional's Choice

PRO-PLUS®

INTERNATIONAL

ORDER LINE (888)750-7994

PO Box 61746 - Vancouver, WA 98666-1746

TEL 888-750-7994 FAX 360-750-7996

MEETS OR EXCEEDS
ASTM C1002 AND C954






Table of Contents

Item	Size	Page
D/W STITCHERS [™] : fine-thread drywall screws, sharp-point, black	Bulk	1
Lams: coarse-thread d/w LAMINATING Screws	Bulk	1
GRIPPERS [™] , BLACK: Coarse-thread Drywall Screws	Bulk	1
GRIPPERS [™] , YELLOW ZINC: Coarse-thread	Bulk	1
GRIPPERS [™] DACRO, Exterior Decking Screw, #2 phillips bugle head, Dacrotized	Bulk	1
GRIPPEX [™] , Exterior Decking Screw, #2 sq drive, countersink-flat head, T-17 slotted point, Dacrotized	Bulk	2
Pan XF STITCHERS [™] : extra fine threads, nibs under head, sharp-point framing screws	Bulk	2
Round Washer Head STITCHERS [™] : sharp-point framing screws, zinc	Bulk	2
Trim Head STITCHERS [™] : sharp-point, #1 square drive, trim head, black	Bulk	2
D/W DRILLERS [™] : fine-thread drywall screws, self-drilling point, black & 1-1/4" zinc	Bulk	2
Pan Head DRILLERS [™] : drill-point framing screws	Bulk	3
Round Washer Head DRILLERS [™] : drill-point framing screws, zinc	Bulk	3
Trim Head DRILLERS [™] : drill-point framing screws, zinc	Bulk	3
Hex Washer Head DRILLERS [™] : drill-point framing screws, zinc	Bulk	3
Plymetal DRILLERS [™] : drill-point, #2 phillips drive, black	Bulk	3
Premium quality cuphead DRYWALL NAILS	Bulk	3
PHILLIPS BIT TIPS, insert and power	each	4
SQUARE BIT TIPS, insert and power	each	4
STAR BIT TIPS, insert and power	each	4
COMBINATION BIT TIPS (double ended), phillips, square and slotted	each	4
MAGNETIC BIT HOLDERS FOR 1/4" HEX BIT TIPS (for use in drywall screwguns)	each	4
1/4" HEX DRIVE MAGNETIC NUT SETTERS, SHORT (1-3/4" length)	each	4
1/4" HEX DRIVE MAGNETIC NUT SETTERS, LONG (2-9/16" length)	each	4
D/W STITCHERS [™] : fine-thread drywall screws, sharp-point, black.	1 & 5 lbs	5
LAMS: coarse-thread d/w LAMINATING screws	1 & 5 lbs	5


Item	Size	Page
GRIPPERS™, BLACK: coarse-thread drywall screws	1 & 5 lbs	5
GRIPPERS™, YELLOW ZINC: coarse-thread drywall screws	1 & 5 lbs	5
GRIPPERS™ DACRO, Exterior Decking Screw, #2 phillips bugle head, dacrotized	1 & 5 lbs	5
GRIPPEX™, Exterior Decking Screw, #2 sq drive, countersink-flat head, T-17 slotted point, Dacrotized	1 & 5 lbs	5
Pan XF STITCHERS™ : extra fine threads, nibs under head, sharp-point framing screws	1 & 5 lbs	6
Round Washer Head STITCHERS™ : sharp-point framing screws, zinc	1 & 5 lbs	6
Trim Head STITCHERS™ : sharp-point, #1 square drive, trim head, black	1 & 5 lbs	6
D/W DRILLERS™ : fine-thread drywall screws, self-drilling point, black & 1-1/4" zinc	1 & 5 lbs	6
Pan Head DRILLERS™ : drill-point framing screws	1 & 5 lbs	6
Bevel Truss Head DRILLERS™ : drill-point framing screws, zinc	1 & 5 lbs	6
Round Washer Head DRILLERS™ : drill-point framing screws, zinc	1 & 5 lbs	6
Trim Head DRILLERS™ : drill-point framing screws, zinc	1 & 5 lbs	6
Hex Washer Head DRILLERS™ : drill-point framing screws, zinc	1 & 5 lbs	6
Plymetal DRILLERS™ : drill-point, #2 phillips drive, black	1 & 5 lbs	6
Premium quality cuphead DRYWALL NAILS	1 & 5 lbs	6



call: (360) or (888) 750-7994
 fax: (360) 750-7996


www.proplusinternational.com

SCREW SIZE	PART NUMBER	Pounds per Carton	APPROX CTN QTY	PRODUCT APPLICATION
------------	-------------	-------------------	----------------	---------------------




D/W STITCHERS™ : fine-thread drywall screws, sharp-point, black.

6 x 1"	09107	25	8,450	For attaching drywall to metal studs, from light to 20 gauge.
6 x 1-1/8"	09109	25	7,700	
6 x 1-1/4"	09111	25	7,220	
6 x 1-5/8"	09117	25	5,580	
6 x 2"	09123	25	4,650	
6 x 2-1/4"	09128	25	4,070	
8 x 2-1/2"	09135	25	2,820	
8 x 3"	09140	25	2,320	
10 x 3-1/2"	09145	25	1,430	
10 x 4"	09146	25	1,280	
10 x 4-1/2"	09147	25	1,120	
10 x 5"	09148	25	1,020	
10 x 6"	09150	25	830	




LAMS: 10-gauge coarse-thread Laminating Screw

10x1-1/2" laminating	09155	25	3,550	For attaching double layers of drywall
----------------------	-------	----	-------	--




GRIPPERS™, BLACK: Coarse-thread Drywall Screws

6 x 1"	19107	25	8,450	For attaching drywall to wood studs. Also used in general purpose applications.
6 x 1-1/8"	19109	25	7,700	
6 x 1-1/4"	19111	25	7,220	
6 x 1-5/8"	19117	25	5,580	
6 x 2"	19123	25	4,650	
7 x 2"	19125	25	4,000	
6 x 2-1/4"	19128	25	4,070	
8 x 2-1/2"	19135	25	2,820	
8 x 3"	19140	25	2,320	



GRIPPERS™, YELLOW ZINC: Coarse-thread Drywall Screws

6 x 1"	19207	25	8,450	For attaching drywall to wood studs. Also used in woodworking applications where the gold-colored head is desired. Not recommended for exterior use.
6 x 1-1/8"	19209	25	7,700	
6 x 1-1/4"	19211	25	7,220	
6 x 1-5/8"	19217	25	5,580	
6 x 2"	19223	25	4,650	
7 x 2"	19225	25	4,000	
6 x 2-1/4"	19228	25	4,070	
8 x 2-1/2"	19235	25	2,820	
8 x 3"	19240	25	2,320	
10 x 3-1/2"	19245	25	1,430	
10 x 4"	19246	25	1,280	
10 x 5"	19248	25	1,020	
10 x 6"	19250	25	830	



GRIPPERS™ DACRO, Exterior Decking Screw, #2 phillips bugle head, Dacrotized

6 x 1-1/4"	19711	25	7,060	#2 Phillips Drive, bugle-head "drywall-style" deck screw with a dacro finish for installers who prefer a Phillips over a Square Drive.
6 x 1-5/8"	19717	25	5,430	
6 x 2"	19723	25	4,620	
8 x 2-1/2"	19735	25	2,780	
8 x 3"	19740	25	2,310	
10 x 3-1/2"	19745	25	1,450	
10 x 4"	19746	25	1,240	


Yellow Zinc and Dacrotized screws are not ACQ-approved. Please ask about our GRK fastener line for both ACQ-approved exterior fasteners and hardened stainless steel fasteners.



call: (360) or (888) 750-7994
 fax: (360) 750-7996


www.proplusinternational.com

SCREW SIZE	PART NUMBER	PRICE PER 25 LB. CTN	PRICE PER LB.	PRODUCT APPLICATION
------------	-------------	----------------------	---------------	---------------------



**GRIPPEX™, Exterior Decking Screw,
 #2 sq drive, countersink-flat head, T-17 slotted point, Dacrotized**

SCREW SIZE	PART NUMBER	PRICE PER 25 LB. CTN	PRICE PER LB.	PRODUCT APPLICATION
6 x 1-1/4"	29811	25	6,570	A #2 Square Drive exterior decking screw with a dacro coating. The 2 1/2" through 6" lengths have a type-17 slotted point for easier drilling. It's counter-sink, flat-head is superior to a bugle-head for countersinking into the wood.
6 x 1-5/8"	29817	25	5,210	
7 x 2"	29825	25	3,810	
8 x 2-1/2" slotted point	29835	25	2,690	
8 x 3" slotted point	29840	25	2,310	
10 x 3-1/2" slotted point	29845	25	1,400	
10 x 4" slotted point	29846	25	1,280	
10 x 5" slotted point	29848	25	1,210	
10 x 6" slotted point	29850	25	810	



Yellow Zinc and Dacrotized screws are not ACQ-approved. Please ask about our GRK fastener line for both ACQ-approved exterior fasteners and hardened stainless steel fasteners.

SCREW SIZE	PT. NO. bulk ctns	CTN WT IN LBS.	CTN QTY PER M	PRODUCT APPLICATION
------------	-------------------	----------------	---------------	---------------------




Pan XF STITCHERS™ : extra fine threads, nibs under head, sharp-point framing screws

7 x 7/16" pan XF black	33330	38	15	For superior light gauge framing.
------------------------	-------	----	----	-----------------------------------



Round Washer Head STITCHERS™ : sharp-point framing screws, zinc.

8 x 9/16" rwh zinc	33366	43	10	To attach lathe to 25 gauge Metal Studs and light gauge framing.
8 x 3/4" rwh zinc	33373	48	10	
8 x 1-1/4" rwh zinc	33386	34	5	



Trim Head STITCHERS™ : sharp-point, #1 square drive, trim head, black

6 x 1-5/8" trim head	33458	21	5	Finish screw for where a small head screw is required.
6 x 2-1/4" trim head	33468	18	3	
8 x 3" trim head	33478	21	2	



D/W DRILLERS™ : fine-thread drywall screws, self-drilling point, black & 1-1/4" zinc

6 x 1"	43107	35	10	For attaching drywall to metal studs. From 20 to 14 gauge.
6 x 1-1/8"	43109	37	10	
6 x 1-1/4"	43111	33	8	
6 x 1-5/8"	43117	26	5	
6 x 1-7/8"	43121	24	4	
8 x 2-3/8"	43132	25	2.5	
8 x 2-5/8"	43137	21	2	
8 x 3"	43140	17	1.4	
6 x 1-1/4" ZINC PLATED	43311	33	8	



call: (360) or (888) 750-7994
fax: (360) 750-7996

www.proplusinternational.com

SCREW SIZE	PT. NO. bulk ctns	CTN WT IN LBS.	CTN QTY PER M	PRODUCT APPLICATION
------------	-------------------	----------------	---------------	---------------------



Pan Head DRILLERS™ : drill-point framing screws

7 x 7/16" pan hd black	43330	40	15	For 20 - 16 gauge metal to metal attachments.
8 x 1/2" pan hd zinc	43333	32	10	




Bevel Truss Head DRILLERS™ : drill-point framing screws, zinc

10x3/4" bevel truss head	43344	43	7.5	Low profile 20-14 gauge framing and metal truss construction
--------------------------	-------	----	-----	--




Round Washer Head DRILLERS™ : drill-point framing screws, zinc

8 x 1/2" rwh zinc	43365	40	10	To attach lathe and for framing 20-14 gauge metal studs.
8 x 1-1/4" rwh zinc	43386	35	5	



Trim Head DRILLERS™ : drill-point framing screws, zinc

6 x 1-5/8" trim head	43459	21	5	Finish screw for use in 20-14 gauge steel.
6 x 2-1/4" trim head	43469	18	3	




Hex Washer Head DRILLERS™ : drill-point framing screws, zinc

10 x 3/4" hex washer head zinc	43834	43	7	For framing 20 -12 gauge metal to metal attachments.
12 x 3/4" hex washer head zinc	43854	45	5	
12 x 1" hex washer head zinc	43857	31	3	
12 x 1-1/2" hex washer head zinc	43861	36	2.5	





Plymetal DRILLERS™ : drill-point, #2 phillips drive, black

8 x 1-5/16" plymetal	63120	33	6	For attaching plywood to 20 -14 gauge steel joist.
8 x 1-15/16" plymetal	63122	32	4	




Premium quality cuphead DRYWALL NAILS

Cup head, phosphate coated, large diameter head.		LBS/CTN	For attaching Drywall to Wood studs.
1-3/8"	94013	50	
1-5/8"	94017	50	
1-7/8"	94021	50	
2-3/8"	94032	50	



BIT SIZE	LENGTH		PT. NO.
#1	1"	insert bit	88110
#1	2"	power bit	88120
#2 (regular tip)	1"	insert bit	88211
#2 (reduced tip)	1"	insert bit recessed-tip	88219
#2	2"	power bit	88220
#2	3-1/2"	power bit	88235
#2	6"	power bit	88260
#3	1"	insert bit	88310
#3	2"	power bit	88320



SQUARE BIT TIPS

BIT SIZE	LENGTH		PT. NO.
#1	1"	insert bit	89110
#1	1"	insert bit TWO-PIECE	89112
#1	2"	power bit	89120
#2	1"	insert bit	89210
#2	1"	insert bit TWO-PIECE	89212
#2	2"	power bit	89220
#2	2"	power bit XT extended tip, superior hold	89221
#2	2"	power bit TWO-PIECE	89222
#2	3-1/2"	power bit	89240
#2	6"	power bit	89260
#3	1"	insert bit	89310
#3	2"	power bit	89320



STAR BIT TIPS

BIT SIZE	LENGTH		PT. NO.
#10	1"	insert bit	86101
#15	1"	insert bit	86151
#15	2"	power bit	86152
#20	1"	insert bit	86201
#20	2"	power bit	86202
#25	1"	insert bit	86251
#25	2"	power bit	86252
#30	1"	insert bit	86301
#30	2"	power bit	86302

COMBINATION BIT TIPS (double-ended)




Image Shown Oversized

BIT SIZES & TYPES	LENGTH	PT. NO.
#2 PHILLIPS with #2 PHILLIPS	2"	85822
#2 PHILLIPS with #2 SQUARE	2"	85825
#2 PHILLIPS with #8 SLOTTED	2"	85828

OUR MAG SHAFTS AND NUT SETTERS ARE TOP QUALITY, ONE-PIECE STAINLESS STEEL-TURNED CONSTRUCTION



MAGNETIC BIT HOLDERS FOR 1/4" HEX BIT TIPS (for use in drywall screwguns)

LENGTH	PT. NO.
STANDARD LENGTH: 3" LONG	79300
SHORT LENGTH: 2-1/4" LONG	79301



1/4" HEX NUT MAGNETIC NUT SETTER, SHORT (1-3/4" length):

HEX SIZE	PT. NO.
1/4"	79114
5/16"	79156
3/8"	79138
7/16"	79176



1/4" HEX NUT MAGNETIC NUT SETTER, LONG (2-9/16" length):

HEX SIZE	PT. NO.
1/4"	79214
5/16"	79256
3/8"	79238
7/16"	79276

call: (360) or (888) 750-7994
fax: (360) 750-7996

PRO-PLUS[®]
INTERNATIONAL

www.proplusinternational.com




ONE AND FIVE POUND BOXES




1 and 5 pound boxes have view windows and a bit tip is included in each carton

SCREW SIZE	PT. NO. 1 LB BOX	PT. NO. 5 LB BOX	PRODUCT APPLICATION
------------	------------------	------------------	---------------------




D/W STITCHERS™ : fine-thread drywall screws, sharp-point, black.

SCREW SIZE	PT. NO. 1 LB BOX	PT. NO. 5 LB BOX	PRODUCT APPLICATION
6 x 1"	01107	02107	For attaching drywall to metal studs, from light to 20 gauge.
6 x 1-1/8"	01109	02109	
6 x 1-1/4"	01111	02111	
6 x 1-5/8"	01117	02117	
6 x 2"	01123	02123	
6 x 2-1/4"	01128	02128	
8 x 2-1/2"	01135	02135	
8 x 3"	01140	02140	
10 x 3-1/2"	01145	02145	
10 x 4"	01146	02146	




LAMS: 10-gauge coarse-thread Laminating Screw

SCREW SIZE	PT. NO. 1 LB BOX	PT. NO. 5 LB BOX	PRODUCT APPLICATION
10x1-1/2" laminating	01155	02155	For attaching double layers of drywall.




GRIPPERS™, BLACK: coarse-thread drywall screws

SCREW SIZE	PT. NO. 1 LB BOX	PT. NO. 5 LB BOX	PRODUCT APPLICATION
6 x 1"	11107	12107	For attaching drywall to wood studs. Also used in general purpose applications.
6 x 1-1/8"	11109	12109	
6 x 1-1/4"	11111	12111	
6 x 1-5/8"	11117	12117	
6 x 2"	11123	12123	
7 x 2"	11125	12125	
6 x 2-1/4"	11128	12128	
8 x 2-1/2"	11135	12135	
8 x 3"	11140	12140	




GRIPPERS™, YELLOW ZINC: coarse-thread drywall screws

SCREW SIZE	PT. NO. 1 LB BOX	PT. NO. 5 LB BOX	PRODUCT APPLICATION
6 x 1"	11207	12207	For attaching drywall to wood studs. Also used in woodworking applications where the gold-colored head is desired. Not recommended for exterior use.
6 x 1-1/8"	11209	12209	
6 x 1-1/4"	11211	12211	
6 x 1-5/8"	11217	12217	
6 x 2"	11223	12223	
7 x 2"	11225	12225	
6 x 2-1/4"	11228	12228	
8 x 2-1/2"	11235	12235	
8 x 3"	11240	12240	
10 x 3-1/2"	11245	12245	
10 x 4"	11246	12246	



GRIPPERS™ DACRO, Exterior Decking Screw, #2 phillips bugle head, Dacrotized

SCREW SIZE	PT. NO. 1 LB BOX	PT. NO. 5 LB BOX	PRODUCT APPLICATION
6 x 1-1/4"	11711	12711	#2 Phillips Drive, bugle-head "drywall-style" deck screw with a dacro finish for installers who prefer a Phillips over a Square Drive.
6 x 1-5/8"	11717	12717	
6 x 2"	11723	12723	
8 x 2-1/2"	11735	12735	
8 x 3"	11740	12740	
10 x 3-1/2"	11745	12745	
10 x 4"	11746	12746	



GRIPPEX™, Exterior Decking Screw, #2 sq drive, countersink-flat head, T-17 slotted point, Dacrotized

SCREW SIZE	PT. NO. 1 LB BOX	PT. NO. 5 LB BOX	PRODUCT APPLICATION
6 x 1-1/4"	21811	22811	A #2 Square Drive exterior decking screw with a dacro coating. The 2 1/2" through 6" lengths have a type-17 slotted point for easier drilling. It's counter-sink flat-head is superior to a bugle-head for countersinking into wood.
6 x 1-5/8"	21817	22817	
7 x 2"	21825	22825	
8 x 2-1/2" T-17 point	21835	22835	
8 x 3" T-17 point	21840	22840	
10 X 3-1/2" T-17 point	21845	22845	
10 x 4" T-17 point	21846	22846	
10 x 5" T-17 point	n/a	22848	
10 x 6" T-17 point	n/a	n/a	



ONE AND FIVE POUND BOXES



1 and 5 pound boxes have view windows and a bit tip is included in each carton

SCREW SIZE	PT. NO. 1 LB BOX	PT. NO. 5 LB BOX	APPLICATION
------------	------------------	------------------	-------------




Pan XF STITCHERS™ : extra fine threads, nibs under head, sharp-point framing screws

7 x 7/16" pan XF black	31330	32330	For superior light gauge framing
------------------------	-------	-------	----------------------------------



Round Washer Head STITCHERS™ : sharp-point framing screws, zinc

8 x 9/16" rwh zinc	31366	32366	To attach lathe to 25 gauge metal studs and light gauge framing
8 x 3/4" rwh zinc	31373	32373	
8 x 1-1/4" rwh zinc	31386	32386	



Trim Head STITCHERS™ : sharp-point, #1 square drive, trim head, black

6 x 1-5/8" trim head	31458	32458	Finish screw for where a small head screw is required
6 x 2-1/4" trim head	31468	32468	



D/W DRILLERS™ : fine-thread drywall screws, self-drilling point, black & 1-1/4" zinc

6 x 1"	41107	42107	For attaching drywall to metal studs. From 20 to 14 gauge.
6 x 1-1/8"	41109	42109	
6 x 1-1/4"	41111	42111	
6 x 1-5/8"	41117	42117	
6 x 1-7/8"	41121	42121	
8 x 2-3/8"	41132	42132	
8 x 2-5/8"	41137	42137	
8 x 3"	41140	42140	
6 x 1-1/4" ZINC PLATED	41311	42311	



Pan Head DRILLERS™ : drill-point framing screws

7 x 7/16" pan hd black	41330	42330	For 20 to 16 gauge metal to metal attachments
8 x 1/2" pan hd zinc	41333	42333	




Bevel Truss Head DRILLERS™ : drill-point framing screws, zinc

10 x 3/4" bevel truss head	41344	42344	Low profile 20 - 14 gauge framing and metal truss construction
----------------------------	-------	-------	--




Round Washer Head DRILLERS™ : drill-point framing screws, zinc

8 x 1/2" rwh zinc	41365	42365	To attach lathe and for framing 20 - 14 gauge metal studs.
8 x 1-1/4" rwh zinc	41386	42386	



Trim Head DRILLERS™ : drill-point, #1 square drive, zinc

6 x 1-5/8" trim head	41459	42459	Finish screw for use in 20 - 14 gauge steel
6 x 2-1/4" trim head	41469	42469	




Hex Washer Head DRILLERS™ : drill-point framing screws, zinc

10 x 3/4" hex washer head zinc	41834	42834	For framing 20 - 12 gauge metal to metal attachments
12 x 3/4" hex washer head zinc	41854	42854	
12 x 1" hex washer head zinc	41857	42857	
12 x 1-1/2" hex washer head zinc	41861	42861	



Plymetal DRILLERS™ : drill-point, #2 phillips drive, black

8 x 1-5/16" plymetal	61120	62120	For attaching plywood to 20 - 14 gauge steel joist
8 x 1-15/16" plymetal	61122	62122	



Premium quality cuphead DRYWALL NAILS

Cup head, phosphate coated, large diameter head.

1-3/8"	91013	92013	For attaching drywall to Wood studs
1-5/8"	91017	92017	
1-7/8"	91021	92021	
2-3/8"	91032	92032	